

e-STUDIO2515AC
e-STUDIO3015AC
e-STUDIO3515AC
e-STUDIO4515AC
e-STUDIO5015AC

Product brochure

- > Toshiba's A3 colour systems impress with an outstanding document output at a speed of up to 50 pages per minute.
- > Thanks to a large, fully customisable user interface you can enhance your efficiency and have easy access to tailor-made workflows.
- > All models easily integrate into modern business environments and support cloud and mobile printing.



CONNECT. INTEGRATE. SIMPLIFY. AND MORE.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information — efficiently and safely to maximise your productivity.

Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

Superior document workflows with impressive colour output.

Don't restrict yourself. Colour can make all the difference and with Toshiba's e-STUDIO5015AC series you can expect top-notch image quality. Combine this with advanced features and you have a multifunction system which covers even the most demanding needs.

- Advanced Toshiba e-BRIDGE Next controller technology for easy integration into IT environments and customisation of document workflows.
- Impeccable, high-quality output with a resolution of up to 1,200 x 1,200 dpi.
- High-volume consistency of colour across small and large print jobs.

Simple, smart and stylish.

Toshiba has designed the e-STUDIO5015AC series to ensure utmost user experience. Via the 26 cm (10.1"), tablet-style multi-touch screen, which is fully customisable, the systems are intuitive to use and increase your productivity and efficiency.

Complicated multi-step processes can be turned into one-touch functions and will help streamline your document workflows.



ADVANCED TECHNOLOGY FOR MORE EFFICIENCY.

Success in today's business world requires a great amount of flexibility and the possibility to access information and data anytime from anywhere. And the e-STUDIO5015AC series is ready for this.

Flexible integration with third-party solutions applications, an embedded web browser and the support of cloud and mobile printing are just some of the features, which will enhance your efficiency and boost your productivity.

As each company has different ways of storing and sharing data, the colour systems can be equipped with apps¹⁾, which meet your individual requirements or preferences. Whether you wish to connect to cloud services or local applications, we have the solution.

Cloud solution apps

- > e-BRIDGE Plus for Box
- > e-BRIDGE Plus for Dropbox
- > e-BRIDGE Plus for Google Cloud Print
- > e-BRIDGE Plus for Google Drive
- > e-BRIDGE Plus for OneDrive
- > e-BRIDGE Plus for OneDrive for Business²⁾
- > e-BRIDGE Plus for SharePoint Online²⁾
- > e-BRIDGE Plus for Exchange Online²⁾

Workflow solution apps

- > e-BRIDGE Plus for Barcode Scan
- > e-BRIDGE Plus for USB Storage
- > e-BRIDGE Plus for Green Information

To ensure you have the perfect fit, our team of software developers can even create customised apps for you.

Environmental Protection

Protecting the environment is embedded in our corporate philosophy and we ensure that our products comply to the highest environmental standards. Top of the class TEC values and ENERGY STAR certification are just some examples of how we can help you save valuable resources.

With the e-BRIDGE Plus for Green Information app you can see your environmental contribution directly on the screen of the MFP. It provides simple graphs and helps promote a more effective use of paper.

State-of-the-art security

Of course, none of the advanced features of the e-STUDIO5015AC series jeopardise security. At Toshiba, protecting your business' data is at the top of our minds while designing our products and we offer a large range of built-in and optional features:

- > The self-encrypting Toshiba Secure HDD provides top level security and makes unauthorised access to the data virtually impossible.
- > Card readers not only provide an extra layer of security but also give direct access to the user's print jobs. We offer a large choice of card readers with different features to ensure your needs are covered.
- > By adding optional security functions the systems conform with HCD-PP v1.0 and are Common Criteria certified.



¹⁾ Availability of apps may vary from country to country.

²⁾ Embedded app for Microsoft Office365

COMPACT, STYLISH AND FULLY CUSTOMISABLE

The e-STUDIO5015Ac series comes with a small footprint packed with industry-leading technology and innovations. Designed to help workgroups connect, integrate and simplify processes the systems have an amazing set of features.

Auto Calibration ensures perfect image quality with consistent colours and crystal-clear lines from the first to the last page.

RGB Colour Substitution allows accurate colours with office applications so that your documents are printed exactly the way you want.

Multi Station Print Solution allows you to send print jobs from your desktop and retrieve them at up to 50 different MFPs by authenticating at that device, e.g. by simply swiping your badge.

Embedded Optical Character Recognition (OCR) simplifies the creation of searchable PDFs and editable document formats such as Microsoft Word.

Scan and Fax preview allows to review, rotate and modify your scanned documents or incoming faxes before saving or printing them.

Scan to USB is great for working with your documents when on the go. And with the possibility to create PDF/A-2 files your documents are ready for long-term archiving.

Print from USB for quick and easy printouts. If necessary, the MFP will automatically scale your documents to fit the available paper size.

E-mail Direct Printing can automatically print attached documents from e-mails sent to the MFP.

Barcode printing gives you the possibility to send print data from your ERP system directly to the MFP. The barcode sequence is automatically processed and printed without the need of additional middleware.



CONFIGURATION



HIGHLIGHTS

Mobile Printing

Easily connect to these systems with your mobile devices via AirPrint, Google Cloud Print or the Mopria Print Service. By adding the optional Wi-Fi module you can unleash even more mobile print and scan features.

Unique User Experience

The large and fully customisable user interface makes the MFP intuitive to use. Simply swipe through the menu and select the feature or function you need and modify the screen to suit your individual preferences.

Dual Scan Document Feeder

An option which holds an amazing 300 originals and boasts an impressive 240 images per minute (ipm) by scanning both sides of the page in a single pass.

SPECIFICATIONS

General

Print & Copy Speed	25/30/35/45/50 ppm (A4) 15/16/18/22/25 ppm (A3)
Warm-up Time	Approx. 12 seconds from low power mode
Paper Size & Weight	Cassette 1: A5R-A3, 60-256 g/m ² Cassette 2: A5R-320 x 460 mm, 60-256 g/m ² Bypass: 100 x 148 mm-320 x 460 mm, 52-280 g/m ² , banner paper (up to 305 x 1,200 mm, 90-163 g/m ²)
Paper Capacity	2x 550 sheets (Cassettes), 1x 100 sheets (Bypass) Maximum 3,200 sheets
Inner Output Tray	400-sheet capacity
Automatic Duplex	A5R-305 x 457 mm, 60-256 g/m ²
Controller Type	Toshiba e-BRIDGE Next
Control Panel	26 cm (10.1") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB ¹⁾ , 4 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ²⁾ (IEEE802.11b/g/n), Bluetooth ²⁾ , Wi-Fi Direct ²⁾
Dimensions & Weight	585 x 641 x 787 mm (W x D x H), ~ 78 kg

Print

Resolution	600 x 600 dpi, 5 bit, 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF and PostScript 3 compatible
Supported Systems	Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix, Novell SLES, SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins ²⁾ , Print from USB, Hold print, Tandem printing, E-mail direct printing

Scan

Resolution	Maximum 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder ²⁾ : up to 73 ipm (300 dpi) in colour and monochrome Dual Scan Document Feeder ²⁾ : up to 240 ipm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF ²⁾ (and other formats like DOCX, XLSX) ²⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ²⁾ , OCR scan ²⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 5 bit, equiv. 2,400 x 600 dpi with smoothing (monochrome only)
First Copy Output Time	Colour: Approx. 7.8/7.8/7.8/5.7/5.7 seconds Monochrome: Approx. 5.9/5.9/5.9/4.4/4.4 seconds
Zoom	25-400% (Platen), 25-200% (RADF/DSDF) ²⁾
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax²⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37
Transmission Speed	Approx. 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security

Device Management	e-BRIDGE Fleet Management System ²⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while- Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader ²⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ²⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ²⁾ protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0 ²⁾ , Scan to Secure PDF, Pull-printing ²⁾

OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER	100-sheet capacity, A5R-A3, 35-157 g/m ²
DUAL SCAN DOCUMENT FEEDER	300-sheet capacity, A5R-A3, 35-209 g/m ²
PAPER FEED PEDESTAL	550-sheet capacity (1 Cassette), A5R-320 x 460 mm, 60-256 g/m ²
DRAWER MODULE	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-256 g/m ²
ENVELOPE DRAWER	For Paper Feed Pedestal or 2 nd cassette Envelopes: 50-envelope capacity, 100 x 162 mm-240 x 380 mm, 60-85 g/m ² Paper: 550-sheet capacity (1 Cassette), A5R-A4R, 60-256 g/m ²
LARGE CAPACITY FEEDER	2,000-sheets capacity, A4, 64-105 g/m ²
INNER FINISHER	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m ² (stapling mode)
MULTI-STAPLE FINISHER	2 trays, 2,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m ² (stapling mode)
SADDLE-STITCH FINISHER	2 trays, 3,250-sheet capacity 50-sheet multi-position stapling 5-sheet center folding Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 g/m ² (stapling mode)
HOLE PUNCH UNIT	Available in 2 holes (E), 4 holes (F), 4 holes (S)

PLATEN COVER
DESK
JOB SEPARATOR
FAX BOARD
WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct)
e-BRIDGE ID-GATE
HARD DISK DRIVE 320 GB¹⁾ (FIPS 140-2 STANDARD)
ACCESSORY TRAY
PANEL TEN-KEY OPTION
WORK TRAY
DATA OVERWRITE ENABLER
IPsec ENABLER
EMBEDDED OCR ENABLER
MULTI STATION PRINT ENABLER
HARD COPY SECURITY KIT
META SCAN ENABLER
UNICODE FONT ENABLER
ACCESSIBLE ARM



¹⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

²⁾ Optional

About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Website

www.toshibatec.eu



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.